

NERI



Catalogue
/
Structures
CONTEMPORARY CLASSIC

26 **Linea**

34 **Lyrica**

42 **Magnolia**

50 **Archè**

56 **Opera**

70 **Aria**

80 **Essential**

92 **Horizon**

105 **Materials and
Finishes**

5000+

municipalities served in

60

countries

200+

custom projects per year

160

employees

200

designers we have worked with

60

years



Longiano, ITA

Neri S.p.A. (Headquarter)

Dubai, UAE

Neri S.p.A. (DMCC Branch)

Miami, USA

Neri North America Inc.

Bangalore, IND

Neri Lighting India Pvt. Ltd.



Neri


Our mission is to decorate and illuminate the city and the collective outdoor spaces, respecting their culture, environment, opportunities for meeting and exchange, safety and comfort.

Since 1962, Neri has been a symbol of excellence in the field of high-end urban furniture and lighting systems, in Italy and around the world.

Neri is the reference model in this sector for thousands of Italian districts and numerous hospitality, residential, and commercial locations worldwide.

Restoration activities, reproductions, custom-made products, and collaborations with architects, lighting designers, and energy managers are part of what our company, present in over 100 countries, has to offer.

Neri Timeline




What we do

Neri offers three categories of products designed to enhance the urban setting: lighting, street furniture and structures. These unique categories have been designed to convey the same aesthetic sense, creating a coordinated and harmonious environment.


Lighting

Neri has always stood innovation and technological research, in line with the same passion and craftsmanship that characterised its origins.



Street furniture

Our cities are our homes, and this belief is reflected in the furniture we design and produce.



Structures

Our structures are designed for private or public spaces, they are modular and respond to various needs of functionality, aggregation and gathering.



Custom Services

We design, prototype and manufacture custom products for special projects. Our brilliance and experience with a wide range of materials, light sources and control systems have brought even the most complex ideas to life.

We advise and support our customers right from the conceptual phase. Architects, landscape designers, lighting professionals, project managers and contractors can draw directly and without limitation on our knowledge and technologies, gaining maximum benefits in terms of control over the evolution of their projects.

Restoration and reproduction


We are experts in the restoration of lighting and urban furniture elements in cast iron.

Cities across Europe have trusted us with the recovery of important pieces of their history and identity.

From the middle of the 19th century, towns were illuminated and furnished with cast-iron elements. Each city is characterised by different types of street lights, for example, which form part of its architecture and represent distinctive elements of its identity.

We have developed specific experience and skills in restoration, as well as a rigorous method and a special philological focus. Restoration means rebuilding what has been broken, bringing back to life the identity of an urban space and its uniqueness. For all those places where the original street lights had disappeared or were severely compromised, we remade them. The cultural value of preserving the memory of these elements is sometimes equivalent to restoration.





Fondazione Neri

The Neri Foundation (Fondazione Neri) is a non-profit organization created in 2005. Owner of a unique collection, its purpose is the research on the city, both past and present, studied from the perspective of those elements that, along with architectures, have always defined its identity: products destined for lighting and furniture.

It investigates and transmits expressions of culture and industrial art, extending research from 19th century cast iron artifacts to more recent and contemporary expressions of industrial design.

The Neri Foundation runs the Italian Museum of Cast Iron (Museo Italiano della Ghisa – MIG) with its three exhibitions and a large archive of documents and images. The collection mainly comprises street lamps from various Italian and European cities, produced in the nineteenth century and in the early decades of the twentieth century, as well as fountains, benches and

ledges. Added to all these artefacts are many other elements, all in cast iron, which wisely integrated the architectures, such as balustrades, roste (or over-doors), door knockers and kerb stones. The Italian Museum of Cast Iron is unique in its genre and, for this reason, it is visited with due attention by sector scholars, universities, architects and lighting designers.

Contemporary Classic



Linea





Linea

- Aluminum structure with polyester powder epoxy painting treatment.
- Pillars and beams section 120x120x2 mm.
- Manual retractable roof, made of PVC Flexlight Lodge 6002.




MEASURES WITH 2 SLIDING GUIDES

For **non-standard sizes of A and B** up to a maximum of 430x550 cm) and for non-standard height **Hc**, up to a maximum of 260 cm, consider the price of the larger size available in the price list.

Linea

AxB	500x300	500x400	500x500	500x550
A	500	500	500	500
B	300	400	500	550
La	476	476	476	476
Lb	276	376	476	526
Amax	507	507	507	507
Bmax	307	407	507	557
Hc	242	242	242	242
ducts	5	7	9	9
COD.	3250.300.ULY	3250.400.ULY	3250.500.ULY	3250.550.ULY
FLAP FOR ROOF PROTECTION				
COD.	0003.TPP5X3	0003.TPP5X4	0003.TPP5X5	0003.TPP555


MEASURES WITH 3 SLIDING GUIDES



For **non-standard sizes of A and B** up to a maximum of 500x550 cm) and for non-standard height **Hc**, up to a maximum of 260 cm, consider the price of the larger size available in the price list.

FRONTAL FLASHING (side A)				
COD.	0003.SCF.300	0003.SCF.400	0003.SCF.430	0003.SCF.500
A	300	400	430	500


FRONTAL FLASHING
Sheet metal flashing to reduce water infiltration.



FLAP FOR ROOF PROTECTION
Flap in polycarbonate (thickness 4 mm) to protect the cover in the folded position.

BASE COVERS	
COD.	0003.KCB

BASE COVERS
Kit of 4 base covers, in polished finish AISI 316 stainless steel, to hide the plate and the fixing screws on the ground.




Linea

ACCESSORIES

side A o B	300	400	430	500	550
CURTAIN RAIL v 4 v 4					
COD.	0003.RAS.300	0003.RAS.400	0003.RAS.430	0003.RAS.500	0003.RAS.550
CURTAIN RAIL v 4 v 5					
COD.	0003.RAS.300	0003.RAS.400	0003.RAS.430	0003.RAS.500	0003.RAS.550
SIDE CURTAIN in acrylic fabric f 1					
COD.	0003.LTU.300	0003.LTU.400	0003.LTU.430	0003.LTU.500	0003.LTU.550
SIDE CURTAIN in acrylic fabric f 2					
COD.	0003.LTU.300	0003.LTU.400	0003.LTU.430	0003.LTU.500	0003.LTU.550
BRACKET for side curtain					
COD.	0003.KIT.PFL				



CURTAIN RAIL
One rail/tube for the installation of curtains.



SIDE CURTAIN in acrylic fabric
Side curtain in acrylic fabric with zip in the center of each side and sliding system with sewn fabric loops. In case of order for two consecutive sides, the corner package will be made. To gather the curtains to the columns, add the bracket accessory.

PROGAR 2913 | f 1
PROGAR 2021 | f 1 +5%
IRISUN LIVING PLAIN | f 2
RAYTENT DRAPERY | f 2
ACRYLISHED | f 2

BRACKET for side curtain
Kit of 2 brackets to collect the curtains to the columns.




FASTENING TO COLUMN	
COD.	0003.KT2.PFL

FASTENING TO COLUMN
Kit of 2 steel profiles for fixing a side awning to the columns, necessary only in case of closure of single sides.

ADDITIONAL COLUMN	
COD.	0003.COL.AGG

ADDITIONAL COLUMNS
An additional column 12x12x230 cm complete with base for fixing to the ground and a bracket for fixing to the lower face of the perimeter beams.



VERTICAL ROLLER CURTAIN
Vertical roller blind, complete with manual winch and sliding cables, available in SOLTIS LOUGE 96 or in recycled acrylic RAYTENT SHADE, also available motorized prices valid for heights less than or equal to 230 cm.


VERTICAL CURTAIN (steel cable + soltis 96)				
AxB	lato 300	lato 400	lato 430	lato 500
COD.	0003.TDR.V3G	0003.TDR.V4G	0003.TDR.V43	0003.TDR.V5G
MOTOR + REMOTE CONTROL				
COD.	0003.TDR.VMO			

Linea

ACCESSORIES

GRID PANELS								
cm	lato 300	lato 400	lato 430	lato 500	lato 550	100	120	150
	n.2 (138x230)	n.3 (125x230)	n.3 (135x230)	n.4 (119x230)	n.4 (131x230)	n.1 (100x230)	n.1 (120x230)	n.1 (150x230)
COD.	0003.GGM.Y30	0003.GGM.Y40	0003.GGM.Y43	0003.GGM.Y50	0003.GGM.Y55	0003.GGM.Y10	0003.GGM.Y12	0003.GGM.Y15
KIT CENTRAL INSTALLATION								
COD.	0003.KMC.GMY							
1 RAIL €/m								
COD.	0003.BIN.1VM							
2 RAIL €/m								
COD.	0003.BIN.2VM							


GRID PANELS
Screening panels with horizontal slats, 40x20 mm perimeter profile in stainless steel and 30x20 mm aluminum crosspieces for non-standard widths consider the upper width available in the price list (maximum width 150 cm) for non-standard heights, in any case less than 230 cm.



LED STRIPS KIT	
COD.	0003.LED.165
+ n.1 LED strip cm 165	
COD.	0003.LED.16A
REMOTE CONTROLLER	
COD.	0003.TEL.STD

KIT LED
N° 2 led stripes lenght 165 cm, 2700 K, 168 leds/m, 15 W/m
N° 1 dimmer
N° 1 transformer 60 W

REMOTE CONTROLLER
Remote controller with 4 channels, not included in to the led kit.




Lyrica






Lyrica

- Aluminum structure with polyester powder epoxy painting treatment.
- Pillar section 500x120 mm (made of two tube section 120x40mm), beams section 120x40 mm and corner joints in polished AISI 304 steel (spotlights excluded).
- Manual retractable roof, made of PVC Flexlight Lodge 6002.



Lyrica center

- Aluminum structure with polyester powder epoxy painting treatment.
- Pillar section 500x120 mm (made of two tube section 120x40mm), beams section 120x40 mm and corner joints in polished AISI 304 steel (spotlights excluded).
- Manual retractable roof, made of PVC Flexlight Lodge 6002.



Lyrica


ACCESSORIES

LED STRIPS KIT	
COD.	0003.BAR.165
+ N.1 LED strip cm 165	
COD.	0003.BAR.16A
SPOTLIGHT KIT	
COD.	0003.KT4.GMB
REMOTE CONTROLLER	
COD.	0003.TEL.STD

LED KIT
N° 2 led stripes lenght 165 cm,
2700 K, 168 leds/m, 15 W/m
N° 1 dimmer
N° 1 transformer 60 W


SPOTLIGHT KIT
N° 4 spots, led 3 W/cad.uno
warm white 2700 K
N° 1 dimmer
N° 1 trasformer 60 W

REMOTE CONTROLLER
Remote controller with 4 channels,
not included in to the led kit.




lato B	300	400	500
CURTAIN RAIL v 4			
COD.	0003.RAS.300	0003.RAS.400	0003.RAS.500
CURTAIN RAIL v 5			
COD.	0003.RAS.300	0003.RAS.400	0003.RAS.500
SIDE CURTAIN in acrylic fabric f 1			
COD.	0003.LTU.300	0003.LTU.400	0003.LTU.500
SIDE CURTAIN in acrylic fabric f 2			
COD.	0003.LTU.300	0003.LTU.400	0003.LTU.500

CURTAIN RAIL
One rail/tube for the installation
of curtains.




SIDE CURTAIN in acrylic fabric
Kit N°2 side curtains in acrylic
fabric (for one side) joined
together with Velcro inserts

PROGAR 2913 | f 1
PROGAR 2021 | f 1 +5%
IRISUN LIVING PLAIN | f 2
RAYTENT DRAPERY | f 2
ACRYLISHED | f 2
PROMESH | f 2



VERTICAL PANEL v 4	
COD.	0003.KPV.ALG
VERTICAL PANEL v 5	
COD.	0003.KPV.ALG
HORIZONTAL PANEL v 4	
COD.	0003.KPO.ALG
HORIZONTAL PANEL v 5	
COD.	0003.KPO.ALG

ALUMINIUM DECORATIVE PANELS
Kit of 2 decorative aluminum panels,
perimeter and 6 uprights made with 30x20
mm section profiles.
Dimensions 42x215.5 cm.



Lyrica


ACCESSORIES

LASERED SIGN PANEL	
COD.	0003.KTI.NLG
NOT LASERED SIGN PANEL	
COD.	0003.KTI.NLG
+ LIGHTING FOR SIGN	
COD.	0003.LED.INS

LASERED SIGN PANEL
Sign kit for one column, made up of two
sheets, the external one lasered and the
internal one full (supply drawing for feasibility
of lasering).

NOT LASERED SIGN PANEL
Sign kit for one column, made up of two full
sheets.

LIGHTING FOR LASERED SIGN PANEL
Sign lighting kit consisting of a LED strip and a
60 W transforme inserted in the upper beam.
Remote control not included.




SHAPE COUNTER-WEIGHT v 4	
COD.	0003.KF1.00Z
SHAPE COUNTER-WEIGHT v 5	
COD.	0003.KF1.00Z
+ COVER	
COD.	0003.FIO.100
+ PILLOW	
COD.	0003.FCU.100
GRES TILE 13 kg/cad	
COD.	0003.MAT.4X4

SHAPE COUNTER-WEIGHT
Kit of 2 planters for fixing to ballast. Powder coated
galvanized sheet metal planters, complete with fixing to
the gazebo columns.
Insert at least 175 kg of load for each planter (about 14
tiles for each planter).

+ COVERS
Kit of 2 covers to transform planters into benches.

+ PILLOWS
Kit of 2 pillows in IRISUN LIVING PLAIN acrylic fabric, with
removable covers.

+ COUNTER WEIGHT LOAD
Grit tile dimensions 40x40x3 cm, weight 12.5 kg/each.




Magnolia






Magnolia

- Aluminum structure with polyester powder epoxy painting treatment.
- Pillar section 130x60 mm, frontal beam with water collection system 135x128 mm.
- Retractable, motorized cover in OPATEX PRO PVC and complete with remote control.



Magnolia

ACCESSORIES



B - DEPTH	A - LENGHT					
	AxB		550 (275+275)	600 (300+300)	650 (375+375)	700 (350+350)
	200	COD.	3220.550.UMS	3220.600.UMS	3220.650.UMS	3220.700.UMS
	250	COD.	3225.550.UMS	3225.600.UMS	3225.650.UMS	3225.700.UMS
	300	COD.	3230.550.UMS	3230.600.UMS	3230.650.UMS	3230.700.UMS
	350	COD.	3235.550.UMS	3235.600.UMS	3235.650.UMS	3235.700.UMS
	400	COD.	3240.550.UMS	3240.600.UMS	3240.650.UMS	3240.700.UMS
	450	COD.	3245.550.UMS	3245.600.UMS	3245.650.UMS	3245.700.UMS
	500	COD.	3250.550.UMS	3250.600.UMS	3250.650.UMS	3250.700.UMS
	550	COD.	3255.550.UMS	3255.600.UMS	3255.650.UMS	3255.700.UMS
	600	COD.	3260.550.UMS	3260.600.UMS	3260.650.UMS	3260.700.UMS
	650	COD.	3265.550.UMS	3265.600.UMS	3265.650.UMS	3265.700.UMS

2 SPANS
3 GUIDES

For **non-standard sizes of A and B** up to a maximum of 700x650 cm consider the price of the larger size available in the price list.


Magnolia

ACCESSORIES

FLAP FOR ROOF PROTECTION										
cm		200	250	300	350	400	450	500	550	600
from 0 to 450	COD.	0003.WTP.20X.8	0003.WTP.25X.8	0003.WTP.30X.8	0003.WTP.35X.6	0003.WTP.40X.8	0003.WTP.45X.8	0003.WTP.50X.8	0003.WTP.55X.8	0003.WTP.60X.8
from 451 to 650	COD.	0003.WTP.20X.1	0003.WTP.25X.1	0003.WTP.30X.1	0003.WTP.35X.1	0003.WTP.40X.1	0003.WTP.45X.1	0003.WTP.50X.1	0003.WTP.55X.1	0003.WTP.60X.1

FLAP FOR ROOF PROTECTION			
cm		650	700
from 0 to 450	COD.	0003.WTP.65X.8	0003.WTP.70X.8
from 451 to 650	COD.	0003.WTP.65X.1	0003.WTP.70X.1

FLAP FOR ROOF PROTECTION
Flap for the protection of the roof in the folded position.
In corrugated galvanized sheet, painted like the structure.



CEILING BRACKET	
COD.	0003.WST.SOF

CEILING BRACKET
Bracket for fixing the pergola to the ceiling, one bracket is required for each sliding guide.

COVER FOR GUIDES	
COD.	0003.WPR.COP


COVER FOR GUIDES
Optional for the union of two or more pergolas
avoid filtering rainwater between two adjacent side guides.

FRONTAL COLUMN max 300 cm	
COD.	0003.WCF.300
SIDE COLUMN max 300 cm	
COD.	0003.WCL.300
BACK COLUM max 350 cm	
COD.	0003.WCP.350

FRONTAL PILLAR
Additional front column, required for mounting vertical roller curtains.

SIDE PILLAR
Additional side column, required for mounting vertical roller curtains.

BACK PILLAR
Additional rear column, necessary for the assembly of vertical roller curtains or to make the structure self-supporting.




Magnolia

ACCESSORIES

SIDE BEAM										
cm	200	250	300	350	400	450	500	550	600	650
COD.	0003.WTP.20L	0003.WTP.25L	0003.WTP.30L	0003.WTP.35L	0003.WTP.40L	0003.WTP.45L	0003.WTP.50L	0003.WTP.55L	0003.WTP.60L	0003.WTP.65L
PVC CLOSURE										
cm	200	250	300	350	400	450	500	550	600	650
COD.	0003.WTP.200	0003.WTP.250	0003.WTP.300	0003.WTP.350	0003.WTP.400	0003.WTP.450	0003.WTP.500	0003.WTP.550	0003.WTP.600	0003.WTP.650

SIDE BEAM
Side beam, necessary for the installation of roller blinds, to make the structure self-supporting, or for mounting the side closure gable.


SIDE CLOUSURE IN PVC FABRIC
Closing tympanum in OPATEX PRO PVC in white or champagne colour. For mounting the gable, the side beam profile must be inserted. The closing gable is supplied with a second shipment, following the survey of the measurements taken on the installed pergola.



VERTICAL ROLLER CURTAIN (windbreak + pvc cristal)							
cm		150	200	250	300	350	400
h 200	COD.	0003.WLT.152	0003.WLT.202	0003.WLT.252	0003.WLT.302	0003.WLT.352	0003.WLT.402
h 250	COD.	0003.WLT.125	0003.WLT.225	0003.WLT.250	0003.WLT.325	0003.WLT.355	0003.WLT.425
h 300	COD.	0003.WLT.153	0003.WLT.203	0003.WLT.253	0003.WLT.303	0003.WLT.353	0003.WLT.403

VERTICAL ROLLER CURTAIN (with sticks + pvc crystal)
Vertical roller curtains, in Crystal PVC, with horizontal windproof profiles. Manual handling by winch. For motorized version add motor and remote control.

ENGINE	
COD.	0003.TSI.GMO
REMOTE CONTROLLER 1 CHANNEL	
COD.	0003.WPS.TL1
REMOTE CONTROLLER 2 CHANNELS	
COD.	0003.WPS.TL2
REMOTE CONTROLLER 5 CHANNELS	
COD.	0003.WPS.TL5




Arché





Archè




PAINTING									ROOF	
v 1	A - anthracite								pvc FLEXLIGHT CLASSIC 602	6285 - 341 champagne 6285 - 102 white
v 2	R - tundra T - taupe Y - mars W - brown O - black									
v 3	Q - white 9010 H - oyster white 1013 P - satin									

AxB	400x400	400x500	500x500	400x600	500x600	600x600	700x700*
A	400	400	500	400	500	600	700
B	400	500	500	600	600	600	700
La	384	384	484	384	484	584	680
Lb	384	484	484	584	584	584	680
Amax	417	417	517	417	517	617	715
Bmax	417	517	517	617	617	617	715
Hc	430	440	455	455	450	475	470
COD.	3240.400.UAM	3240.500.UAM	3250.500.UAM	3240.600.UAM	3250.600.UAM	3260.600.UAM	3270.700.UAM
+ PVC VALANCE							
COD.	3240.400.UMM	3240.500.UMM	3250.500.UMM	3240.600.UMM	3250.600.UMM	3260.600.UMM	3270.700.UMM


* The measurement 700x700 cm differs in size pillars (100x100 mm) and gables (100x50 mm).

When ordering, specify the beam design with the relevant one code.


MA __ X __



MT __ X __



MI __ X __




Archè

ACCESSORIES


AxB	400x400	400x500	500x500	400x600	500x600	600x600	700x700
COD.	0003.KAS.4X4	0003.KAS.4X5	0003.KAS.5X5	0003.KAS.4X6	0003.KAS.5X6	0003.KAS.6X6	0003.KAS.7X7
FASTENING TO COLUMN v 1			FASTENING TO COLUMN Kit of 8 steel profiles for fixing a side awning to the columns.				
COD.	0003.PFL.GMA						
FASTENING TO COLUMN v 2							
COD.	0003.PFL.GMA						
FASTENING TO COLUMN v 3							
COD.	0003.PFL.GMA						

FASTENING TO COLUMN
Kit of 8 steel profiles for fixing a side awning to the columns.


RODS for side curtains
Kit of 4 rods for assembling curtains lateral.



SIDE CURTAINS in PVC
Kit of 4 PVC side curtains with zip in the center of each side and sliding system with plastic rings.
FLEXLIGHT CLASSIC 602 white and champagne | p 1
FLEXLIGHT CLASSIC 602 + CRISTAL PVC WINDOWS | p 2




SIDE CURTAINS in acrylic fabric
Kit of 4 side curtains in acrylic fabric with zip in the center of each side (with hidden packaging) and sliding system with sewn fabric loops.




PROFILES STOP TENT

PROGAR 2913 | f 1
PROGAR 2021 | f 1 +5%
IRISUN LIVING PLAIN | f 2
RAYTENT DRAPERY | f 2
ACRYLISHED | f 2



AxB	400X400	400X500	500X500	400X600	500X600	600X600	700X700
SIDE CURTAINS in pvc p 1							
COD.	0003.KTU.4X4	0003.KTU.4X5	0003.KTU.5X5	0003.KTU.4X6	0003.KTU.5X6	0003.KTU.6X6	0003.KTU.7X7
SIDE CURTAINS in pvc p 2							
COD.	0003.KTF.4X4	0003.KTF.4X5	0003.KTF.5X5	0003.KTF.4X6	0003.KTF.5X6	0003.KTF.6X6	0003.KTF.7X7
SIDE CURTAINS in acrylic fabric f 1							
COD.	0003.KTU.4X4	0003.KTU.4X5	0003.KTU.5X5	0003.KTU.4X6	0003.KTU.5X6	0003.KTU.6X6	0003.KTU.7X7
SIDE CURTAINS in acrylic fabric f 2							
COD.	0003.KTU.4X4	0003.KTU.4X5	0003.KTU.5X5	0003.KTU.4X6	0003.KTU.5X6	0003.KTU.6X6	0003.KTU.7X7
DECORATIVE CURTAINS in acrylic fabric f 1							
COD.	0003.KTC.OPG	One size					


POLE CURTAINS in acrylic fabric f 1
Kit of 4 pole-cover curtains in acrylic fabric, sliding system with sewn pocket.






Archè pergola Elettra

- Structure in worked steel with hot-dip galvanizing treatment and polyester powder epoxy painting in standard colours.
- Pillar section 100x100 mm, frontal beam height 300 mm, complete with gutter for collecting rainwater.
- Motorized retractable cover with aluminum windbreak made of PVC OPATEX PRO white or champagne, remote controller included.



PAINTING										ROOF			
v 1		A - anthracite								pvc OPATEX PRO		6693 - 112 white 6693 - 272 champagne	
v 2		R - tundra T - taupe Y - mars W - brown O - black											
v 3		Q - white 9010 H - oyster white 1013 P - satin											
A	300	300	300	300	400	400	400	400	450	450	450	450	
B	300	400	500	600	300	400	500	600	300	400	500	600	
La	284	284	284	284	384	384	384	384	434	434	434	434	
Lb	290	290	490	590	290	390	490	590	290	390	490	590	
Amax	317	317	317	317	417	417	417	417	467	467	467	467	
Bmax	309	409	509	609	309	409	509	609	309	409	509	609	
Hc	292	307	322	337	292	307	322	337	292	307	322	337	
AxB	300x300	300x400	300x500	300x600	400x300	400x400	400x500	400x600	450x300	450x400	450x500	450x600	
COD.	3230.300.UAE	3230.400.UAE	3230.500.UAE	3230.600.UAE	3240.300.UAE	3240.400.UAE	3240.500.UAE	3240.600.UAE	3245.300.UAE	3245.400.UAE	3245.500.UAE	3245.600.UAE	




Archè pergola Elettra

ACCESSORIES

1 SPAN 3 GUIDES


AxB	500x300	500x400	500x500	500x600	600x300	600x400	600x500	600x600
A	500	500	500	500	600	600	600	600
B	300	400	500	600	300	400	500	600
La	484	484	484	484	584	584	584	584
Lb	290	390	490	590	290	390	490	590
Amax	517	517	517	517	617	617	617	617
Bmax	309	409	509	609	309	409	509	609
Hc	292	307	322	337	292	307	322	337
AxB	500x300	500x400	500x500	500x600	600x300	600x400	600x500	600x600
COD.	3250.130.UAE	3250.140.UAE	3250.150.UAE	3250.160.UAE	3260.130.UAE	3260.140.UAE	3260.150.UAE	3260.160.UAE

NB
Windbreak profiles of the cover matching the color of the fabric.
For different colours, ask for a quote.
The windbreak profiles are closed with plastic caps available only in white or black.



AxB	600x300	600x400	600x500	600x600	700x300	700x400	700x500	700x600
A	600	600	600	600	700	700	700	700
B	300	400	500	600	300	400	500	600
La	288	288	288	288	338	338	338	338
Lb	290	390	490	590	290	390	490	590
Amax	617	617	617	617	717	717	717	717
Bmax	309	409	509	609	309	409	509	609
Hc	292	307	322	337	292	307	322	337
AxB	600x300	600x400	600x500	600x600	700x300	700x400	700x500	700x600
COD.	3260.230.UAE	3260.240.UAE	3260.250.UAE	3260.260.UAE	3270.230.UAE	3270.240.UAE	3270.250.UAE	3270.260.UAE

NB
Windbreak profiles of the cover matching the color of the fabric.
For different colours, ask for a quote.
The windbreak profiles are closed with plastic caps available only in white or black.



AxB	800x300	800x400	800x500	800x600	900x300	900x400	900x500	900x600
A	800	800	800	800	900	900	900	900
B	300	400	500	600	300	400	500	600
La	388	388	388	388	438	438	438	438
Lb	290	390	490	590	290	390	490	590
Amax	817	817	817	817	917	917	917	917
Bmax	309	409	509	609	309	409	509	609
Hc	292	307	322	337	292	307	322	337


AxB **800x300** **800x400** **800x500** **800x600** **900x300** **900x400** **900x500** **900x600**

COD. 3280.300.UAE 3280.400.UAE 3280.500.UAE 3280.600.UAE 3290.300.UAE 3290.400.UAE 3290.500.UAE 3290.600.UAE

NB
Windbreak profiles of the cover matching the color of the fabric.
For different colours, ask for a quote.
The windbreak profiles are closed with plastic caps available only in white or black.


B	300	400	500	600
COD.	0003.TRE.3DX 0003.TRE.3SX	0003.TRE.4DX 0003.TRE.4SX	0003.TRE.5DX 0003.TRE.5SX	0003.TRE.6DX 0003.TRE.6SX

B	300	400	500	600
COD.	0003.TRE.3DX 0003.TRE.3SX	0003.TRE.4DX 0003.TRE.4SX	0003.TRE.5DX 0003.TRE.5SX	0003.TRE.6DX 0003.TRE.6SX



FLAP FOR ROOF PROTECTION


DECORATED SIDE BEAM




DECORATED SIDE BEAM + PVC

FLAP FOR ROOF PROTECTION v 1		
COD.	0003.TPL.400	until cm 400
COD.	0003.TPL.600	until cm 600
FLAP FOR ROOF PROTECTION v 2		
COD.	0003.TPL.400	until cm 400
COD.	0003.TPL.600	until cm 600
FLAP FOR ROOF PROTECTION v 3		
COD.	0003.TPL.400	until cm 400
COD.	0003.TPL.600	until cm 600

	300	350	400	450	500	600
COD.	0003.RAS.30A	0003.RAS.35A	0003.RAS.40A	0003.RAS.45A	0003.RAS.50A	0003.RAS.60A



RAIL for side
One rail for the installation of side curtains.




FASTENING TO COLUMN

SIDE CURTAIN in pvc
PVC side curtain with zip in the center of each side and sliding system with plastic rings. Add fastening to the column.
FLEXLIGHT CLASSIC 602 bianco e champagne | **p 1**
FLEXLIGHT CLASSIC 602 + FINESTRE in pvc CRYSTAL| **p 2**


FASTENING TO COLUMN
Kit of 2 steel profiles for fixing a side awning to the columns.

	300	350	400	450	500	600
SIDE CURTAIN in pvc p 1						
COD.	0003.LTU.30A	0003.LTU.35A	0003.LTU.40A	0003.LTU.45A	0003.LTU.50A	0003.LTU.60A
SIDE CURTAIN in pvc p 2						
COD.	0003.LFT.300	0003.LFT.350	0003.LFT.400	0003.LFT.450	0003.LFT.500	0003.LFT.600
SIDE CURTAIN in acrylic fabric f 1						
COD.	0003.LTU.30A	0003.LTU.35A	0003.LTU.40A	0003.LTU.45A	0003.LTU.50A	0003.LTU.60A
SIDE CURTAIN in acrylic fabric f 2						
COD.	0003.LTU.30A	0003.LTU.35A	0003.LTU.40A	0003.LTU.45A	0003.LTU.50A	0003.LTU.60A
DECORATIVE CURTAIN in acrylic fabric f 1						
COD.	0003.CORPEL	one size				
HALF DECORATIVE CURTAIN in acrylic fabric f 1						
COD.	0003.MCO.PPE	one size				



FASTENING TO COLUMN

SIDE CURTAIN in acrylic fabric
Side curtain made of acrylic fabric with zip in the middle of the side (with hidden packing) and sliding system with sewn-in fabric loops. Add fastening to the column.
PROGAR 2913 | **f 1**
PROGAR 2021 | **f 1 +5%**
IRISUN LIVING PLAIN | **f 2**
RAYTENT DRAPERY| **f 2**
ACRYLSHED | **f 2**




FASTENING TO COLUMN

DECORATIVE CURTAIN in acrylic fabric f 1
Decorative curtain in acrylic fabric, sliding system with sewn pocket.



Archè XL


- Structure in worked steel with hot-dip galvanizing treatment and polyester powder epoxy painting in standard colours.
- Pillar section 100x100 mm, sloped beam section 100x50x3 mm, perimetral beam section 260x40 mm, complete with gutters for the collection of rainwater.
- Flexlight classic 602 champagne PVC cover (white on request, price unchanged).



PAINTING		ROOF	
v 1	A - anthracite	pvc FLEXLIGHT CLASSIC 602	6285 - 341 champagne 6285 - 102 white
v 2	R - tundra T - taupe Y - mars W - brown O - black		
v 3	Q - white 9010 H - oyster white 1013 P - satin		

AxB	800x800	900x900	1000x1000
A	800	900	1000
B	800	900	1000
La	385	435	485
Lb	385	435	485
Amax	815	915	1015
Bmax	815	915	1015
Hc	415	435	450
COD.	3280.800.UAX	3290.900.UAX	3210.100.UAX
+ PVC VALANCE			
COD.	3280.8PV.UAX	3290.9PV.UAX	3210.1PV.UAX

When ordering, specify the design of the beam with the relative code.




Archè XL

ACCESSORIES

AxB	800x800	900x900	1000x1000
COD.	0003.KAS.8X8	0003.KAS.9X9	0003.KAS.1X1
FASTENING TO COLUMN v 1			
COD.	0003.PFL.1X1.X		
FASTENING TO COLUMN v 2			
COD.	0003.PFL.1X1.X		
FASTENING TO COLUMN v 3			
COD.	0003.PFL.1X1.X		

CURTAIN RAILS
Kit of 8 curtai rails for the installation of curtains.

FASTENING TO COLUMN
Kit of 16 steel profiles for fixing a side awning to the columns.



AxB	800x800	900x900	1000x1000
SIDE CURTAIN in pvc p 1			
COD.	0003.KTU.8X8	0003.KTU.9X9	0003.KTU.1X1
SIDE CURTAIN in pvc p 2			
COD.	0003.KTF.8X8	0003.KTF.9X9	0003.KTF.1X1
SIDE CURTAIN in acrylic fabric f 1			
COD.	0003.KTU.8X8	0003.KTU.9X9	0003.KTU.1X1
SIDE CURTAIN in acrylic fabric f 2			
COD.	0003.KTU.8X8	0003.KTU.9X9	0003.KTU.1X1
DECORATIVE CURTAIN f 1			
COD.	0003.KTC.OPG	One Size	

SIDE CURTAIN in pvc
Kit of 8 side awnings in pvc with zip in the center of each side and sliding system with plastic rings.
FLEXLIGHT CLASSIC 602 white or champagne | p 1
FLEXLIGHT CLASSIC 602 + CRISTAL windows | p 2

SIDE CURTAIN in acrylic fabric
Kit of 8 side awnings in acrylic fabric with zip in the center of each side (with hidden packaging) and sliding system with sewn fabric loops and PVC cord to be inserted in the fixing profiles to the columns (not included).
PROGAR 2913 | f 1
PROGAR 2021 | f 1 +5%
IRISUN LIVING PLAIN | f 2
RAYTENT DRAPERY | f 2
ACRYLSHED | f 2


DECORATIVE CURTAIN in acrylic fabric f 1
Kit of 8 decorative curtains in acrylic fabric, sliding system with sewn pocket.

Opera



Opera hexagon rain

- Structure in worked steel with hot-dip galvanizing treatment and polyester powder epoxy painting in standard colours.
- Pillar section ø 60x2 mm, sloped beam section 30x30x2 mm, perimetral beam section 180x30 mm with integrated gutter.
- Flexlight classic 602 champagne PVC cover (white on request, price unchanged), excluding valance.




PAINTING		ROOF		ROOF	
v 1	A - anthracite	pvc	6285 - 341 champagne	pvc	6595 - 20183 white
v 2	R - tundra	FLEXLIGHT CLASSIC 602	6285 - 102 white	FLEXLIGHT LODGE 6002	6595 - 20165 taupe
	T - taupe				6595 - 10387 vanilla
	Y - mars				6595 - 20001 light grey
	W - brown				6595 - 20024 grey
	O - black				6595 - 20205 anthracite
v 3	Q - white 9010				6595 - 20329 dark beige
	H - oyster white 1013				6595 - 20331 brown clay
	P - satin				6595 - 20330 green


Ø	Ø 300	Ø 350	Ø 400
A	148	173	198
B	265	308	352
La	304	354	404
Lb	142	167	192
Amax	275	318	362
Bmax	315	365	415
Hc	370	375	380
COD.	3230.000.UON	3235.000.UON	3240.000.UON
+ PVC VALANCE			
COD.	3230.00M.UON	3235.00M.UON	3240.00M.UON
+ METAL VALANCE			
COD.	3230.0ML.UON	3235.0ML.UON	3240.0ML.UON

When ordering, specify the design of the beam with the relative code.


ENRA __ X __



ENRT __ X __




ENRI __ X __



BASE COVERS

COD. 0003.KCB.ENR

Kit of 6 base covers with drainage, painted as the structure.



Neri


Opera hexagon rain

ACCESSORIES

Ø	Ø 300	Ø 350	Ø 400
CURTAIN RAILS v 1			
COD.	0003.KAS.300	0003.KAS.350	0003.KAS.400
CURTAIN RAILS v 2			
COD.	0003.KAS.300	0003.KAS.350	0003.KAS.400
CURTAIN RAILS v 3			
COD.	0003.KAS.300	0003.KAS.350	0003.KAS.400
SIDE CURTAINS in pvc p 1			
COD.	0003.KTU.300	0003.KTU.350	0003.KTU.400
SIDE CURTAINS in pvc p 2			
COD.	0003.KTF.300	0003.KTF.350	0003.KTF.400
SIDE CURTAINS in acrylic fabric f 1			
COD.	0003.KTU.300	0003.KTU.350	0003.KTU.400
SIDE CURTAINS in acrylic fabric f 2			
COD.	0003.KTU.300	0003.KTU.350	0003.KTU.400
DECORATIVE CURTAINS in acrylic f 1			
COD.	0003.KTC.OPG	One Size	


CURTAIN RAILS

Kit of 6 curtain rails + 12 brackets .



SIDE CURTAINS in pvc


Kit of 6 side curtains in pvc with zip in the center of each side and sliding system with plastic rings.
Also available with cristal PVC windows (pack p 2)
FLEXLIGHT CLASSIC 602 white or champagne | p 1
FLEXLIGHT CLASSIC 602 + CRISTAL windows | p 2



SIDE CURTAIN in acrylic fabric


Kit of 6 side curtains in acrylic fabric with zip in the center of each side (with hidden packaging) sliding system with sewn fabric loops.

PROGAR 2913 | f 1
PROGAR 2021 | f 1 +5%
IRISUN LIVING PLAIN | f 2
RAYTENT DRAPERY | f 2
ACRYLSHED | f 2



DECORATIVE CURTAIN in acrylic fabric f 1

Kit of 6 decorative curtains in acrylic fabric, sliding system with sewn pocket.
PROGAR 2913 | f 1
PROGAR 2021 | f 1 +5%




Aria





Aria



- Structure in worked steel with hot-dip galvanizing treatment and polyester powder epoxy painting in standard colours.
- Pillar section 60x60 mm, sloped beam section 30x30x2 mm, perimeter beams with water collection function section 90x55 mm.
- Cover in PVC Flexlight classic 602 champagne (white on request, price unchanged).





Aria

ACCESSORIES

DECORATIVE FRAME				
AxB	300x300	300x400	350X350	400x400
COD.	0003.KTG.33A	0003.KTG.34A	0003.KTG.35A	0003.KTG.40A




AxB	300x300	300x400	350X350	400x400
COD.	0003.KAS.33A	0003.KAS.34A	0003.KAS.35A	0003.KAS.40A
SIDE CURTAINS in pvc p 1				
COD.	0003.KTU.33A	0003.KTU.34A	0003.KTU.35A	0003.KTU.40A
SIDE CURTAINS in pvc p 2				
COD.	0003.KTF.33A	0003.KTF.34A	0003.KTF.35A	0003.KTF.40A
SIDE CURTAINS in acrylic fabric f 1				
COD.	0003.KTU.33A	0003.KTU.34A	0003.KTU.35A	0003.KTU.40A
DECORATIVE CURTAINS in acrylic fabric f 2				
COD.	0003.KTU.33A	0003.KTU.34A	0003.KTU.35A	0003.KTU.40A
HALF DECORATIVE CURTAINS in acrylic fabric f 1				
COD.	0003.KTC.OPG	one size		



PROGAR 2913 | f 1
PROGAR 2021 | f 1 +5%

Aria XL

- Structure in worked steel with hot-dip galvanizing treatment and polyester powder epoxy painting in standard colours.
- Pillar section 80x80 mm, sloped beam section 40x40x2 mm, perimeter beams with water collection function section 115x75 mm.
- Flexlight classic 602 champagne PVC cover (white on request, price unchanged).




Aria XL

ACCESSORIES


AxB	400x400	400x500	500x500	400x600	500x600	600x600
COD.	0003.KAS.44A	0003.KAS.45A	0003.KAS.55A	0003.KAS.46A	0003.KAS.56A	0003.KAS.66A
FASTENING TO COLUMN v 1						
COD.	0003.KIT.PFL.GOM					
FASTENING TO COLUMN v 2						
COD.	0003.KIT.PFL.GOM					
FASTENING TO COLUMN v 3						
COD.	0003.KIT.PFL.GOM					

CURTAIN RAIL
4 curtain rails + 12
brackets for the
installing of side
curtain




SIDE CURTAINS in pvc
Kit of 4 side curtains in pvc with zip in the center of each side and sliding
system with plastic rings.
Also available with cristal PVC windows (pack p 2).

FLEXLIGHT CLASSIC 602
white or champagne | **p 1**
FLEXLIGHT CLASSIC
602 + FINESTRE in pvc
CRISTAL | **p 2**




SIDE CURTAINS in acrylic fabric
Kit of 4 side curtains in acrylic fabric with zip in the center of each side
(with hidden packaging) sliding system with sewn fabric loops.

PROGAR 2913 | **f 1**
PROGAR 2021 | **f 1 +5%**
IRISUN LIVING PLAIN | **f 2**
RAYTENT DRAPERY | **f 2**
ACRYLSHED | **f 2**



AxB	400x400	400x500	500x500	400x600	500x600	600x600
SIDE CURTAINS in pvc p 1						
COD.	0003.KTU.4X4	0003.KTU.4X5	0003.KTU.5X5	0003.KTU.4X6	0003.KTU.5X6	0003.KTU.6X6
SIDE CURTAINS in pvc p 2						
COD.	0003.KTF.4X4	0003.KTF.4X5	0003.KTF.5X5	0003.KTF.4X6	0003.KTF.5X6	0003.KTF.6X6
SIDE CURTAINS in acrylic fabric f 1						
COD.	0003.KTU.4X4	0003.KTU.4X5	0003.KTU.5X5	0003.KTU.4X6	0003.KTU.5X6	0003.KTU.6X6
SIDE CURTAINS in acrylic fabric f 2						
COD.	0003.KTU.4X4	0003.KTU.4X5	0003.KTU.5X5	0003.KTU.4X6	0003.KTU.5X6	0003.KTU.6X6
DECORATIVE CURTAINS in acrylic fabric f 1						
COD.	0003.KTC.OPG	one size				

DECORATIVE CURTAIN in acrylic fabric f 1
Kit of 4 decorative
curtains in acrylic fabric,
sliding system with sewn
pocket.
PROGAR 2913 | **f 1**
PROGAR 2021 | **f 1 +5%**




Aria XL

ACCESSORIES

DECORATIVE FRAME						
AxB	400x400	400x500	500x500	400x600	500x600	600x600
COD.	0003.GOM.4X4	0003.GOM.4X5	0003.GOM.5X5	0003.GOM.4X6	0003.GOM.5X6	0003.GOM.6X6

CURTAIN RAIL
One curtain rail for the installing of side curtain.




Essential






- Aluminum structure with polyester powder epoxy painting treatment.
- Pillar section 155x155 mm, perimeter beams with water collection function section 200x200 mm.
- Fixed roof, waterproof in PVC Flexlight Lodge 6002.



For **non-standard measures of A and B** (up to a maximum of 450x600 cm) consider the price (VAT excluded) of the larger size available in the price list.


For non-standard height under beam Ht, up to a maximum of 260 cm, price unchanged.

- Aluminum structure with polyester powder epoxy painting treatment.
- Pillar section 155x155 mm, perimeter beams with water collection function section 200x200 mm.
- Fixed roof, waterproof, made of sandwich panel thickness 40 mm (not painted, natural colour similar to RAL 1013).



For **non-standard measures of A and B** (up to a maximum of 450x1200 cm) consider the price (VAT excluded) of the larger size available in the price list.
For non-standard height under beam Ht, up to a maximum of 260 cm, price unchanged.

- Aluminum structure with polyester powder epoxy painting treatment.
- Pillar section 155x155 mm, perimeter beams with water collection function section 200x200 mm.
- Fixed roof, waterproof, made of sandwich panel thickness 40 mm (not painted, natural colour similar to RAL 1013).



STRUCTURE PAINTING				ROOF				ROOF					
v 4	A - anthracite J - silk white 9010 E - silk oyster white 1013 Z - silk grey 7035			sandwich panel	not painted, natural colour similar to RAL 1013	painted sandwich panel							A - anthracite R - tundra T - taupe Y - mars W - brown O - black Q - white 9010 H - oyster white 1013 P - satin
v 5	R - tundra T - taupe Y - mars W - brown O - black Q - white 9010 H - oyster white 1013 P - satin												
AxB	300x300	300x400	300x500	300x600	400x300	400x400	400x500	400x600	450x300	450x400	450x500	450x600	
A	294	294	294	294	394	394	394	394	444	444	444	444	
B	294	394	494	594	294	394	494	594	294	394	494	594	
La	264	264	264	264	364	364	364	364	414	414	414	414	
Lb	264	364	464	564	264	364	464	564	264	364	464	564	
Amax	300	300	300	300	400	400	400	400	450	450	450	450	
Bmax	300	400	500	600	300	400	500	600	300	400	500	600	
Sloping	12	14	18	20	12	14	18	20	16	20	22	24	
COD.	3230.30PUEL	3230.40PUEL	3230.50PUEL	3230.60PUEL	3240.30PUEL	3240.40PUEL	3240.50PUEL	3240.60PUEL	3245.30PUEL	3245.40PUEL	3245.50PUEL	3245.60PUEL	

AxB	500x300	500x400	500x500	500x600
A	444	444	444	444
B	294	394	494	594
La	414	414	414	414
Lb	264	364	464	564
Amax	450	450	450	450
Bmax	300	400	500	600
Sloping	16	20	22	24
COD.	3245.30PUEL	3245.40PUEL	3245.50PUEL	3245.60PUEL


For **non-standard measures of A and B** (up to a maximum of 450x600 cm) consider the price (VAT excluded) of the larger size available in the price list.

For non-standard height under beam Ht, up to a maximum of 260 cm, price unchanged.

Unpainted cover panels, for painting in the same color as the structure consider:

- 1 side painting (inside or outside)
- 2 sides painting (inside + outside)

- Aluminum structure with polyester powder epoxy painting treatment.
- Pillar section 155x155 mm, perimeter beams with water collection function section 200x200 mm.
- Fixed roof, waterproof, made of sandwich panel thickness 40 mm (not painted, natural colour similar to RAL 1013).



AxB	300x700	300x800	300x900	300x1000	300x1100	300x1200	400x700	400x800	400x900	400x1000	400x1100	400x1200
A	294	294	294	294	394	394	394	394	444	444	444	444
B	294	394	494	594	294	394	494	594	294	394	494	594
La	264	264	264	264	364	364	364	364	414	414	414	414
Lb	264	364	464	564	264	364	464	564	264	364	464	564
Amax	300	300	300	300	400	400	400	400	450	450	450	450
Bmax	300	400	500	600	300	400	500	600	300	400	500	600
Sloping	12	14	18	20	12	14	18	20	16	20	22	24
COD.	3230.70PUEL	3230.80PUEL	3230.90PUEL	3230.10PUEL	3230.11PUEL	3230.12PUEL	3240.70PUEL	3240.80PUEL	3240.90PUEL	3240.10PUEL	3240.11PUEL	3240.12PUEL

AxB	450x700	450x800	450x900	450x1000	450x1100	450x1200	500x700	500x800	500x900	500x1000	500x1100	500x1200
A	294	294	294	294	394	394	394	394	444	444	444	444
B	294	394	494	594	294	394	494	594	294	394	494	594
La	264	264	264	264	364	364	364	364	414	414	414	414
Lb	264	364	464	564	264	364	464	564	264	364	464	564
Amax	300	300	300	300	400	400	400	400	450	450	450	450
Bmax	300	400	500	600	300	400	500	600	300	400	500	600
Sloping	12	14	18	20	12	14	18	20	16	20	22	24
COD.	3245.70PUEL	3245.80PUEL	3245.90PUEL	3245.10PUEL	3245.11PUEL	3245.12PUEL	3250.70PUEL	3250.80PUEL	3250.90PUEL	3250.10PUEL	3250.11PUEL	3250.12PUEL

For **non-standard measures of A and B** (up to a maximum of 450x1200 cm) consider the price (VAT excluded) of the larger size available in the price list.

For non-standard height under beam Ht, up to a maximum of 260 cm, price unchanged.

Unpainted cover panels, for painting in the same color as the structure consider:

- 1 side painting (inside or outside)
- 2 sides painting (inside + outside)

Essential

ACCESSORIES

SNOW KIT	
COD.	0003.KTN.LOE
ADDITIONAL COLUMN	
COD.	0003.COL.AGL

SNOW KIT
Snow kit for ensure the structure in winter period.

ADDITIONAL COLUMN
Additional column (maximum height 260 cm) needed for the installation of several accessories.

	300	400	450	500	600
COD.	0003.RAS.30E	0003.RAS.40E	0003.RAS.45E	0003.RAS.50E	0003.RAS.60E

CURTAIN RAIL
One curtain rail for the installing of side curtain.

FASTENING TO COLUMN	
COD.	0003.KT2.PFL

FASTENING TO COLUMN
Kit of 2 steel profiles for fixing a side awning to the columns.

	300	400	450	500	600
COD.	0003.LTU.30E	0003.LTU.40E	0003.LTU.45E	0003.LTU.50E	0003.LTU.60E

SIDE CURTAIN in acrylic fabric
One side curtain in acrylic fabric with zip in the center of each side (with hidden packaging) sliding system with sewn fabric loops. Additional fabric +30 % of the side.

PROGAR 2913 | f 1
PROGAR 2021 | f 1 +5%
IRISUN LIVING PLAIN | f 2
RAYTENT DRAPERY | f 2
ACRYLSHED | f 2

	300	400	450	500
VERTICAL CURTAIN (steel cable+ soltis 96)				
COD.	0003.TDR.30E	0003.TDR.40E	0003.TDR.45E	0003.TDR.50E


VERTICAL ROLLER CURTAIN (steel wires + soltis 96)
Vertical roller curtain, complete with manual winch and sliding cables (steel wires), available in SOLTIS LOUGE 96 or in recycled acrylic RAYTENT SHADE, also available with motorisation. Prices valid for heights equal to or less than 240 cm.

ENGINE + CONTROLLER	
COD.	0003.TDR.VMO

ENGINE+REMOTE CONTROLLER
Valid for both the vertical roller curtain.

	300	400
ZIP CURTAIN (cristal)		
COD.	0003.TZI.30E	0003.TZI.40E
ENGINE + CONTROLLER		
COD.	0003.TZI.MOE	

VERTICAL ROLLER CURTAIN (zip + pvc crystal)
Vertical roller curtain, in CRISTAL PVC, complete with vertical profiles with windproof zip system, 114 mm box and winch for manual movement and painted aluminum end piece. Also available motorized. Prices valid for heights less than or equal to 240 cm.




Essential

ACCESSORIES

	lato 300	lato 400	lato 450	lato 500	lato 600	100	120	150
	N°2(132x240)	N°3(121x240)	N°3(138x240)	N°4(116x240)	N°5(113x240)	N°(100x240)	N°(120x240)	N°(150x240)
COD.	0003.GLO.30E	0003.GLO.40E	0003.GLO.45E	0003.GLO.50E	0003.GLO.60E	0003.GLO.10E	0003.GLO.12E	0003.GLO.15E


KIT CENTRAL INSTALLATION	
COD.	0003.KMC.GMY
1 RAIL €/m	
COD.	0003.BIN1.VMY
2 RAILS €/m	
COD.	0003.BIN2.VMY

GRID PANELS
Screening panels with horizontal slats, 40x20 mm perimeter profile in stainless steel and 30x20 mm aluminum crosspieces for non-standard widths consider the upper width available in the price list (maximum width 150 cm). For non-standard heights, in any case less than 230 cm.



	150	175	200	ANGOLO
COD.	0003.PEL.15E	0003.PEL.17E	0003.PEL.20E	0003.PEL.ANE

SHELTER
Aluminum shelter add up the standard modules until the desired measure is reached.




Essential

ACCESSORIES

SLIDING GLASSES					
B	300	400	450	500	600
OPTION 1 central closure					
COD.	0003.STV.30C	0003.STV.40C	0003.STV.45C	0003.STV.50C	0003.STV.60C
OPTION 2 side closure					
COD.	0003.STV.30L	0003.STV.40L	0003.STV.50L	0003.STV.60L	

CENTRAL LOCK	
COD.	0003.STV.LOC
SIDE LOCK	
COD.	0003.STV.LOL
PEDAL HANDLE	
COD.	0003.STV.LOM




SLIDING GLASS
Sliding glass closing system, without vertical profiles, with weight discharge on the lower guide.
10 mm thick tempered clear float glass, aluminum profiles painted in the color of the structure (band 1 and band 2).
Ground rails not painted, only anodized.
Translucent PVC seals and stainless steel dragging tray.
OPTION 1: central locking
System complete with N°2 dragging trays and N°2 compensator profiles complete with locking post.
OPTION 2: side closure
System complete with N°1 dragging tray and N°2 compensator profiles one of which complete with locking post.
When ordering, evaluate the inclusion of a lock or pedal handle.

300	400	450	500	600
OPTION 1 side closure				
2 way 4 glass	2 way 4 glass	3 way 6 glass	3 way 6 glass	3 way 6 glass
OPTION 2 side closure				
3 way 3 glass	4 way 4 glass	5 way 5 glass	5 way 5 glass	

B	300	400	500	600
LED STRIP + DIMMER + TRANSFORMER				
COD.	0003.BAR.300	0003.BAR.400	0003.BAR.500	0003.BAR.600

LED STRIPE KIT
Dimmable led stripe, integrated in the ridge beam
(led stripe + dimmer + transformer, warm white 2700 K, 168 leds/m, 24 V) remote controller excluded.

REMOTE CONTROLLER
Remote controller with 4 channels,
not included in to the led kit.




Essential

ACCESSORIES

SUSPENSION LED 150 cm	
COD.	0003.LSS.150
SUSPENSION LED 200 cm	
COD.	0003.SLS.200


SUSPENSION LED STRIPE
Dimmable LED stripe, length 150-200 cm, suspended under the ridge beam, including transformer and dimmer warm white 2700 °K, 168 leds/m, IP65.
Can be integrated with 4-channel remote control (not included).



SINGLE WALL LAMP	
COD.	0003.FME.STD
DOUBLE WALL LAMP	
COD.	0003.FBE.STD
SYSTEM FOR WALL LAMP	
COD.	0003.IMP.FAR



SINGLE AND BI-EMISSION WALL LAMP
Single and double emission wall light to be installed on the columns painted like the main structure warm white 2700 °K, 2 W and 2+2 W, IP65 add 1 system for every 4 mono-emission spotlights add 1 system for every 2 bi-emission spotlights. Can be integrated with 4-channel remote control (not included).

SYSTEM FOR WALL LAMP
Transformer, dimmer and electrical system for 6 or 3 bi-emission spotlights, 4-channel remote control excluded.



CHANDELIER	
COD.	0003.LAM.STD
SELF STANDING LAMP	
COD.	0003.PIA.STD

CHANDELIER
Can be installed only in the presence of an earthing system, 220 W, IP20-40.



ELECTRICAL SOCKET	
COD.	0003.COP.REL

ELECTRIC SOCKET
Column with electrical socket painted like the main structure.


Horizon





Horizon

- Structure in worked steel with hot-dip galvanizing treatment and aluminum slats adjustable in 3 positions (closed, 90° and 135°).
- Polyester powder epoxy painting in standard colours.
- Decorated pillars, with variable section (base 200x200mm), perimeter beams with rainwater collection system, height 32 cm.
- Cover not perfectly watertight.




Horizon

ACCESSORIES


AxB	420x300	420x400	420x460	420x500	420x560
A	420	420	420	420	420
B	300	400	460	500	560
La	390	390	390	390	390
Lb	270	370	430	470	530
Amax	437	437	437	437	437
Bmax	317	417	477	517	577
n. louvered	14	19	22	24	27
COD.	3242.300.UHT	3242.400.UHT	3242.460.UHT	3242.500.UHT	3242.560.UHT



When ordering, specify the design of the beam with the relative code.



Horizon

ACCESSORIES

SLIDING GLASS					
	lato 300	lato 400	lato 460	lato 500	lato 560
OPTION 1 central closure					
COD.	0003.STC.300	0003.STC.400	0003.STC.460	0003.STC.500	0003.STC.560
OPTION 2 side closure					
COD.	0003.STL.300	0003.STL.400	0003.STL.460		
CENTRAL LOCK					
COD.	0003.STV.LOC				
SIDE LOCK					
COD.	0003.STV.LOL				
PEDAL HANDLE					
COD.	0003.STV.LOM				



300	400	450	500	600
OPZIONE 1 chiusura centrale				
2 way 4 glass	2 way 4 glass	3 way 6 glass	3 way 6 glass	3 way 6 glass
OPZIONE 2 chiusura centrale				
3 way 3 glass	4 way 4 glass	5 way 5 glass	5 way 5 glass	


SLIDING GLASS
Sliding glass closing system, without vertical profiles, with weight discharge on the lower guide.
10 mm thick tempered clear float glass, aluminum profiles painted in the color of the structure (band 1 and band 2).
Ground rails not painted, only anodized.
Translucent PVC seals and stainless steel dragging tray.
OPTION 1: central locking
System complete with N°2 dragging trays and N°2 compensator profiles complete with locking post.
OPTION 2: side closure
System complete with N°1 dragging tray and N°2 compensator profiles one of which complete with locking post.
When ordering, evaluate the inclusion of a lock or pedal handle.

COMPENSATOR PROFILE	
COD.	0003.PC0.MPT

COMPENSATOR PROFILES
Pair of compensator profiles for the assembly of sliding glass doors or gratings. Consider one pair for each span.

	lato 300	lato 400	lato 460	lato 500	lato 560	100	120	150
COD.	0003.GTL.300	0003.GTL.400	0003.GTL.460	0003.GTL.500	0003.GTL.560	0003.GTL.100	0003.GTL.120	0003.GGTL.150

GRID PANELS
Screening panels with horizontal slats, 40x20 mm perimeter profile in stainless steel and 30x20 mm aluminum crosspieces.
For non-standard widths consider the upper width available in the price list (maximum width 150 cm).
For non-standard heights, in any case less than 230 cm.




Horizon


ACCESSORIES

AxB	300x300	300x400	300x460	300x500	300x560	400x300	400x400	400x460	400x500	400x560
COD.	0003.KAS.3X3	0003.KAS.3X4	0003.KAS.346	0003.KAS.3X5	0003.KAS.356	0003.KAS.4X3	0003.KAS.4X4	0003.KAS.446	0003.KAS.4X5	0003.KAS.456

AxB	300x300	300x400	300x460	300x500	300x560	400x300	400x400	400x460	400x500	400x560
COD.	0003.KTU.3X3	0003.KTU.3X4	0003.KTU.346	0003.KTU.3X5	0003.KTU.356	0003.KTU.4X3	0003.KTU.4X4	0003.KTU.446	0003.KTU.4X5	0003.KTU.456
DECORATIVE CURTAIN in acrylic fabric f 1										
COD.	0003.KTC.OPT	one size								



CURTAIN RAIL
Kit of 4 curtain rails for the installing of side curtain.




SIDE CURTAIN in acrylic fabric
One side curtain in acrylic fabric with zip in the center of each side (with hidden packaging) sliding system with sewn fabric loops. String sewn inside, to gather the curtains to the column and loop sewn on the outside for fastening to the columns with Velcro strip.
PROGAR 2913 | f 1
PROGAR 2021 | f 1 +5%
IRISUN LIVING PLAIN | f 2
RAYTENT DRAPERY | f 2
ACRYLSHED | f 2

	300	400	460	500
VERTICAL CURTAIN (steel cable+ soltis 96)				
COD.	0003.TDR.300	0003.TDR.400	0003.TDR.450	0003.TDR.500
EGINE + REMOTE CONTROLLER				
COD.	0003.TDR.VMO			

VERTICAL ROLLER CURTAIN (steel wires + soltis 96)
Vertical roller curtain, complete with manual winch and sliding cables (steel wires), available in SOLTIS LOUGE 96 or in recycled acrylic RAYTENT SHADE, also available with motorisation. Prices valid for heights equal to or less than 240 cm.

ENGINE+REMOTE CONTROLLER
Valid for both the vertical roller curtain.




	300	400	460	500	560
LED STRIP					
COD.	0003.LED.300	0003.LED.400	0003.LED.460	0003.LED.500	0003.LED.560
REMOTE CONTROLLER					
COD.	0003.TEL.EDT				

LED STRIPE KIT
Kit of 2 dimmable led stripes, integrated in the perimetral beams.
(led stripe + dimmer + transformer, warm white 2700 K, 168 leds/m, 24 V) remote controller excluded.
REMOTE CONTROLLER
Remote controller with 4 channels, not included in to the led kit.


Horizon pergola Elettra

- Structure in worked steel with hot-dip galvanizing treatment and polyester powder epoxy painting in standard colours.
- Pillar section 120x120 mm, frontal beam with height 30 cm, completed with gutter for the collecting of rain water.
- Motorized retractable cover with aluminum windbreak and PVC OPATEX PRO white or chamapagne, remote controller included.



PAINTING			ROOF	
v 1	A - anthracite		pvc OPATEX PRO	6693 - 112 white 6693 - 272 champagne
v 2	R - tundra T - taupe Y - mars W - brown O - black			
v 3	Q - white 9010 H - oyster white 1013 P - satin			

AxB	300x300	300x400	300x500	300x600	400x300	400x400	400x500	400x600	450x300	450x400	450x500	450x600
A	300	300	300	300	400	400	400	400	450	450	450	450
B	300	400	500	600	300	400	500	600	300	400	500	600
La	276	276	276	276	276	276	276	276	276	276	276	276
Lb	288	388	488	288	388	488	288	388	488	288	388	488
Amax	312	312	312	312	412	412	412	412	462	462	462	462
Bmax	306	406	506	606	306	406	506	606	306	406	506	606
Hc	290	305	320	335	290	305	320	335	290	305	320	335
AxB	300x300	300x400	300x500	300x600	400x300	400x400	400x500	400x600	450x300	450x400	450x500	450x600
COD.	3230.30E.UTH	3230.40E.UTH	3230.50E.UTH	3230.60E.UTH	3240.30E.UTH	3240.40E.UTH	3240.50E.UTH	3240.60E.UTH	3245.30E.UTH	3245.40E.UTH	3245.50E.UTH	3245.60E.UTH



NB
Windbreak profiles of the cover matching the color of the fabric.
For different colours, ask for a quote.
The windbreak profiles are closed with plastic caps available only in white or black.


Horizon pergola Elettra

ACCESSORIES

1 SPAN 3 GUIDES

AxB	500x300	500x400	500x500	500x600	600x300	600x400	600x500	600x600
A	500	500	500	500	600	600	600	600
B	300	400	500	600	300	400	500	600
La	476	476	476	476	576	576	576	576
Lb	288	388	488	588	288	388	488	588
Amax	512	512	512	512	612	612	612	612
Bmax	306	406	506	606	306	406	506	606
Hc	292	307	322	337	292	307	322	337
AxB	500x300	500x400	500x500	500x600	600x300	600x400	600x500	600x600
COD.	3250.30E.UTH	3250.40E.UTH	3250.50E.UTH	3250.60E.UTH	3260.30E.UTH	3260.40E.UTH	3260.50E.UTH	3260.60E.UTH


NB
Windbreak profiles of the cover matching the color of the fabric.
For different colours, ask for a quote.
The windbreak profiles are closed with plastic caps available only in white or black.



AxB	600x300	600x400	600x500	600x600	700x300	700x400	700x500	700x600
A	600	600	600	600	700	700	700	700
B	300	400	500	600	300	400	500	600
La	576	576	576	576	676	676	676	676
Lb	288	388	488	588	288	388	488	588
Amax	612	612	612	612	712	712	712	712
Bmax	306	406	506	606	306	406	506	606
Hc	292	307	322	337	292	307	322	337
AxB	600x300	600x400	600x500	600x600	700x300	700x400	700x500	700x600
COD.	3226.30E.UTH	3226.40E.UTH	3226.50E.UTH	3226.60E.UTH	3227.30E.UTH	3227.40E.UTH	3227.50E.UTH	3227.60E.UTH

NB
Wind-breaking profiles of the covering are color-matched with the fabric. For different colors, please request a quote.
The wind-breaking profiles are sealed with plastic end caps, available only in White 9010 or White 1013.

ACCESSORIES



NB
Windbreak profiles of the cover matching the color of the fabric.
For different colours, ask for a quote.
The windbreak profiles are closed with plastic caps available only in white or black.

FLAP FOR ROOF PROTECTION

DECORATED SIDE CURTAIN


DECORATED SIDE CURTAIN + PVC

FLAP FOR ROOF PROTECTION v 1		
COD.	0003.TPL.400	up to 400 cm
COD.	0003.TPL.600	up to 600 cm
FLAP FOR ROOF PROTECTION v 2		
COD.	0003.TPL.400	B up to 400 cm
COD.	0003.TPL.600	B up to 600 cm
FLAP FOR ROOF PROTECTION v 3		
COD.	0003.TPL.400	B up to 400 cm
COD.	0003.TPL.600	B up to 600 cm

ACCESSORIES

	300	350	400	450	500	600
COD.	0003.RAS.300	0003.RAS.350	0003.RAL.400	0003.RAS.450	0003.RAS.500	0003.RAS.600
FASTENING TO COLUMN v 1						
COD.	0003.KT2.PFL.PM					
FASTENING TO COLUMN v 2						
COD.	0003.KT2.PFL.PM					
FASTENING TO COLUMN v 3						
COD.	0003.KT2.PFL.PM					

CURTAIN RAIL
One curtain rail for the installing of side curtain.



SIDE CURTAIN in pvc
PVC side curtain with zip in the center of each side
and sliding system with plastic rings.
Add fastening to the column.
FLEXLIGHT CLASSIC 602 white or champagne | p 1
FLEXLIGHT CLASSIC 602 + CRYSTAL windows | p 2


FASTENING TO COLUMN
Kit of 2 steel profiles for fixing a side awning to the columns.

	300	350	400	450	500	600
SIDE CURTAIN in pvc p 1						
COD.	0003.LTU.300	0003.LTU.350	0003.LTU.400	0003.LTU.450	0003.LTU.500	0003.LTU.600
SIDE CURTAIN in pvc p 2						
COD.	0003.LTF.300	0003.LTF.350	0003.LTF.400	0003.LTF.450	0003.LTF.500	0003.LTF.600
SIDE CURTAIN in acrylic fabric f 1						
COD.	0003.LTU.300	0003.LTU.350	0003.LTU.400	0003.LTU.450	0003.LTU.500	0003.LTU.600
SIDE CURTAIN in acrylic fabric f 2						
COD.	0003.LTU.300	0003.LTU.350	0003.LTU.400	0003.LTU.450	0003.LTU.500	0003.LTU.600
DECORATIVE CURTAIN in acrylic fabric f 1						
COD.	0003.COP.PTE	one size				
HALF DECORATIVE CURTAIN in acrylic fabric f 1						
COD.	0003.MC0.PPT	one size				

SIDE CURTAIN
in acrylic fabric
One side curtain
in acrylic fabric
with zip in the
center of each
side (with hidden
packaging) sliding
system with sewn
fabric loops. Add
fastening to the
column.

PROGAR 2913 | f 1
 PROGAR 2021 | f 1 +5%
 IRISUN LIVING PLAIN | f 2
 RAYTENT DRAPERY | f 2
 ACRYLSHED | f 2

DECORATIVE CURTAIN in acrylic fabric f 1
A decorative curtain in acrylic fabric, sliding system with sewn pocket.



Horizon pergola Elettra

ACCESSORIES

	300	400
ZIP CURTAIN (cristal)		
COD.	0003.TZI.300	0003.TZI.400
ENGINE + CONTROLLER		
COD.	0003.TZI.PMO	

VERTICAL ROLLER CURTAIN (zip + pvc crystal)
Vertical roller curtain, in CRISTAL PVC, complete with vertical profiles with windproof zip system, 114 mm box and winch for manual movement and painted aluminum end piece. Also available motorized.
Prices valid for heights less than or equal to 240 cm.

ENGINE+REMOTE CONTROLLER
Valid for both the vertical roller curtain.

SLIDING GLASS					
	lato 300	lato 400	lato 450	lato 500	lato 600
OPTION 1 central closure					
COD.	0003.STV.30C	0003.STV.40C	0003.STV.45C	0003.STV.50C	0003.STV.60C
OPTION 2 side closure					
COD.	0003.STV.30L	0003.STV.40L	0003.STV.45L	0003.STV.50L	
CENTRAL LOCK					
COD.	0003.STV.ERC				
SIDE LOCK					
COD.	0003.STV.ERL				
PEDAL HANDLE					
COD.	0003.STV.ERM				

OPTION 1
Side closure

OPTION 2
Central closure

54 mm
60 mm
2 rails

80 mm
86 mm
3 rails

108 mm
112 mm
4 rails

134 mm
138 mm
5 rails

SLIDING GLASS
Sliding glass closing system, without vertical profiles, with weight discharge on the lower guide.
10 mm thick tempered clear float glass, aluminum profiles painted in the color of the structure (band 1 and band 2).
Ground rails not painted, only anodized.
Translucent PVC seals and stainless steel dragging tray.
OPTION 1: central locking
system complete with N°2 dragging trays and N°2 compensator profiles complete with locking post.
OPTION 2: side closure
System complete with N°1 dragging tray and N°2 compensator profiles one of which complete with locking post.
When ordering, evaluate the inclusion of a lock or pedal handle.

300	400	450	500	600
OPTION 1 Central closure				
2 way 4 glass	2 way 4 glass	3 way 6 glass	3 way 6 glass	3 way 6 glass
OPTION 2 Central closure				
3 way 3 glass	4 way 4 glass	5 way 5 glass	5 way 5 glass	

Materials
and
Finishes

PAINTING



A
anthracite



O
black



R
tundra



W
brown



Y
mars



T
taupe



P
satin



J
silk white 9010



Z
silk grey 7035



X
faux wood*

electrostatic painting polyester powders. for different colors ask for feasibility, costs and production times.

FLEXLIGHT CLASSIC 602



6285-102
white



6285-341
champagne

semi-gloss PVC membrane waterproof weight 650 g/m2 height 267 cm fire rating euro class EN 13501-1(B-s2-d0) warranty 3 years use RWP, CDE

OPATEX PRO



6693-112
white




6693-272
champagne

PVC membrane with blackout film internal textile effect waterproof weight 850 g/m2 height 300 cm fire rating uni 9177: class 2 euro class EN 13501-1: B-s2-d0 warranty 5 years use RWP

FLEXLIGHT LODGE 6002




6002-20183
white




6002-20165
taupe




6002-10387
vanilla




6002-20001
light grey




6002-20024
grey




6002-20205
anthracite



6002-20329
dark beige



6002-20331
brown clay



6002-20330
green

PVC membrane with textile effect waterproof weight 630 g/m2 height 260-300 cm fire rating uni 9177: class 2 euro class EN 13501-1(B-s2-d0) warranty 5 years use RWP, CDE

CRISTAL PLUS 500 1S




8707
cristal

transparent PVC membrane waterproof weight 610 g/m2 height 140 cm use CDE, CTE

SOLTIS HORIZON 86




6572-2044
white




6572-2175
champagne



6572-2047
anthracite




6572-2171
grey



6572-2135
sand

perforated PVC membrane shading weight 380 g/m2 height 177-267 cm fire rating uni 9177: class 1 euro class EN 13501-1: B-s2-d0 warranty 5 years use RSH,CTE,SSH




6572-2158
green

SOLTIS LOUNGE 96



6532-8102
white




6532-1103
champagne



6532-2047
anthracite




6532-2171
grey




6532-2135
sand

micro-perforated PVC membrane shading weight 400 g/m2 height 120-267 cm fire rating uni 9177: class 2 warranty 5 years use CTE



6532-50848
green


IRISUN SHADE SOLIDS




3705-201
avena



3705-801
pomice



3705-890
avena-pomice



3705-704
trifoglio





solution-dyed ACRYLIC fabric >50% recycled fibre stiff handle water repellent, anti-mould, anti-stain weight 290 g/m2 height 120 cm warranty 10 years use RWR, SWR, CTE

IRISUN SHADE SOLIDS



3400-G042
white

solution-dyed ACRYLIC fabric stiff handle water repellent, anti-mould, anti-stain weight 290 g/m2 height 120 cm warranty 10 years use RWR, SWR, CTE

Catalogue		Contemporary Classic
PROGAR 2913  3674-010 white  3674-000 ecrù yarn-dyed ACRYLIC fabric semi-soft handle water repellent, anti-mould weight 290 g/m2 height 247 cm use CDE, CC		 3676-688 taupe solution dyed weft and yarn-dyed warp semi-soft handle water repellent, anti-mould weight 290 g/m2 height 247 cm use CDE, CC
IRISUN LIVING PLAIN  3399-071 soft grey  3674-000 soft beige solution-dyed ACRYLIC fabric soft handle water repellent, anti-mould, anti-stain weight 240 g/m2 height 137 cm warranty 5 years use CDE, CC		
ACRYLSHED  3364-016 beige  3364-834 grey  3364-010 white  3364-386 melange beige solution-dyed ACRYLIC fabric light handle water repellent, anti-mould, anti-stain weight 130 g/m2 height 250 cm warranty 5 years use CDE, CC		
RAYTENT DRAPERY  3708-001 farina  3708-801 pomice  3708-502 terracotta solution-dyed ACRYLIC fabric >50% recycled fibre light handle water repellent, anti-mould, anti-stain weight 140 g/m2 height 300 cm warranty 5 years use CDE, CC		
PROMESH  3621-010 white solution-dyed ACRYLIC fabric mesh soft handle water repellent, anti-mould, anti-stain weight 210 g/m2 height 260 cm warranty 5 years use CDE, CC		
POLYSHED  3368-010 white POLYESTER fabric light handle water repellent, anti-mould, anti-stain weight 120 g/m2 height 320 cm use CDE, CC		
DRAP  3737-974 white solution-dyed ACRYLIC fabric light handle water repellent, anti-mould, anti-stain weight 210 g/m2 height 280 cm warranty 5 years use CDE, CC		

Neri S.p.A.
S.S. Emilia 1622
47020 Longiano (FC) · Italy
T +39 0547 652111

Neri North America Inc.
999 Brickell Ave., Suite 1002,
Miami, FL 33131
USA

Neri Lighting India Pvt. Ltd.
Plot no 46-A, Malur 4th Phase,
KIADB Industrial area,
Malur – Karnataka · 563130

Neri S.p.A. (DMCC Branch)
29-29 Reef Tower Cluster O
JLT – Jumeirah Lake Towers
P.O. Box: 5003348 · Dubai · UAE
T +971 4 448 7246
F +971 4 448 7112

www.neri.biz
© January 2026 · Neri S.p.A.

