



Thank you for giving UL the opportunity to partner with you.

Please note, Follow-Up Procedure Revisions or Report Revisions do not include Authorization Pages, Indices, Section General, and/or Appendices unless revisions were required or requested.

Should you have any questions, after reviewing the material, or need to report any inaccuracies, please reach out to your UL representative or find UL contact details for your local Customer Service Department at  
<https://www.ul.com/about/locations>.

Please find attached the related material on Project

For your convenience, the below describes the related updates:

E359248-20130531-CertificateofCompliance

This material is provided on behalf of UL LLC (UL) or any authorized licensee of UL.

Times change, Trust Remains™

---

# Certificate of Compliance

**Certificate Number:**

UL-US-L359248-11-  
13503102-2

**Report Reference:**

E359248-20130531

**Issue Date:**

2024-04-22

Issued to:

**NERI SPA  
SS EMILIA 1622 LONGIANO, FC 47020  
Italy**

This certificate confirms that representative samples of:

**IFAM - Light-emitting-diode Surface-mounted Luminaires**

**See Addendum Page for Product Designation(s).**

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

**UL 1598, Edition 5, Issue Date 2021-03-26, Revision Date 2024-01-31**

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



David Piecuch  
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# CERTIFICATE OF COMPLIANCE

**Certificate number** UL-US-L359248-11-13503102-2  
**Report reference** E359248-20130531  
**Date** 2024-04-22

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
<b>LU500</b> , LU50000 16 UL, Max input power may be factory dimmed to lower values than as indicated in ratings Luminaire may be optionally marked -SUITABLE FOR OPERATION IN AMBIENT NOT EXCEEDING 50 °C	LED Surface Mounted Luminaire
<b>LU500</b> , LU50000 24 UL, Max input power may be factory dimmed to lower values than as indicated in ratings Luminaire may be optionally marked -SUITABLE FOR OPERATION IN AMBIENT NOT EXCEEDING 50 °C	LED Surface Mounted Luminaire
<b>LU500</b> , LU50001 16 UL, Max input power may be factory dimmed to lower values than as indicated in ratings Luminaire may be optionally marked -SUITABLE FOR OPERATION IN AMBIENT NOT EXCEEDING 50 °C	LED Surface Mounted Luminaire
<b>LU500</b> , LU50001 24 UL, Max input power may be factory dimmed to lower values than as indicated in ratings Luminaire may be optionally marked -SUITABLE FOR OPERATION IN AMBIENT NOT EXCEEDING 50 °C	LED Surface Mounted Luminaire
<b>LU600</b> , LU60000 16 UL, Max input power may be factory dimmed to lower values than as indicated in ratings Luminaire may be optionally marked -SUITABLE FOR OPERATION IN AMBIENT NOT EXCEEDING 50 °C	LED Surface Mounted Luminaire
<b>LU600</b> , LU60000 24 UL, Max input power may be factory dimmed to lower values than as indicated in ratings Luminaire may be optionally marked -SUITABLE FOR OPERATION IN AMBIENT NOT EXCEEDING 50 °C	LED Surface Mounted Luminaire
<b>LU600</b> , LU60001 16 UL, Max input power may be factory dimmed to lower values than as indicated in ratings Luminaire may be optionally marked -SUITABLE FOR OPERATION IN AMBIENT NOT EXCEEDING 50 °C	LED Surface Mounted Luminaire
<b>LU600</b> , LU60001 24 UL, Max input power may be factory dimmed to lower values than as indicated in ratings	LED Surface Mounted Luminaire

  
David Piecuch  
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# CERTIFICATE OF COMPLIANCE

**Certificate number** UL-US-L359248-11-13503102-2  
**Report reference** E359248-20130531  
**Date** 2024-04-22

Luminaire may be optionally marked -SUITABLE FOR OPERATION IN AMBIENT NOT EXCEEDING 50 °C	
Series 400	LED pole-mounted luminaires
Series 500	LED pole-mounted luminaires
Series 600	LED pole-mounted luminaires
Series 602	LED pole-mounted luminaires
Series 603	LED pole-mounted luminaires
Series 604	LED pole-mounted luminaires



David Piecuch  
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# Certificate of Compliance

**Certificate Number:**

UL-CA-L359248-31-  
13503102-2

**Report Reference:**

E359248-20130531

**Issue Date:**

2024-04-22

Issued to:

**NERI SPA  
SS EMILIA 1622 LONGIANO, FC 47020  
Italy**

This certificate confirms that representative samples of:

**IFAM7 - Light-emitting-diode Surface-mounted Luminaires  
Certified for Canada**

**See Addendum Page for Product Designation(s).**

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

**CSA C22.2 No. 250.0:21, Edition 5, Issue Date 2021-03-26,  
Revision Date 2024-01-31**

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



David Piecuch  
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# CERTIFICATE OF COMPLIANCE

**Certificate number** UL-CA-L359248-31-13503102-2  
**Report reference** E359248-20130531  
**Date** 2024-04-22

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
<b>LU500</b> , LU50000 16 UL, Max input power may be factory dimmed to lower values than as indicated in ratings Luminaire may be optionally marked -SUITABLE FOR OPERATION IN AMBIENT NOT EXCEEDING 50 °C	LED Surface Mounted Luminaire
<b>LU500</b> , LU50000 24 UL, Max input power may be factory dimmed to lower values than as indicated in ratings Luminaire may be optionally marked -SUITABLE FOR OPERATION IN AMBIENT NOT EXCEEDING 50 °C	LED Surface Mounted Luminaire
<b>LU500</b> , LU50001 16 UL, Max input power may be factory dimmed to lower values than as indicated in ratings Luminaire may be optionally marked -SUITABLE FOR OPERATION IN AMBIENT NOT EXCEEDING 50 °C	LED Surface Mounted Luminaire
<b>LU500</b> , LU50001 24 UL, Max input power may be factory dimmed to lower values than as indicated in ratings Luminaire may be optionally marked -SUITABLE FOR OPERATION IN AMBIENT NOT EXCEEDING 50 °C	LED Surface Mounted Luminaire
<b>LU600</b> , LU60000 16 UL, Max input power may be factory dimmed to lower values than as indicated in ratings Luminaire may be optionally marked -SUITABLE FOR OPERATION IN AMBIENT NOT EXCEEDING 50 °C	LED Surface Mounted Luminaire
<b>LU600</b> , LU60000 24 UL, Max input power may be factory dimmed to lower values than as indicated in ratings Luminaire may be optionally marked -SUITABLE FOR OPERATION IN AMBIENT NOT EXCEEDING 50 °C	LED Surface Mounted Luminaire
<b>LU600</b> , LU60001 16 UL, Max input power may be factory dimmed to lower values than as indicated in ratings Luminaire may be optionally marked -SUITABLE FOR OPERATION IN AMBIENT NOT EXCEEDING 50 °C	LED Surface Mounted Luminaire
<b>LU600</b> , LU60001 24 UL, Max input power may be factory dimmed to lower values than as indicated in ratings Luminaire may be optionally marked -SUITABLE FOR OPERATION IN AMBIENT NOT EXCEEDING 50 °C	LED Surface Mounted Luminaire



David Piecuch  
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# CERTIFICATE OF COMPLIANCE

**Certificate number** UL-CA-L359248-31-13503102-2  
**Report reference** E359248-20130531  
**Date** 2024-04-22

Luminaire may be optionally marked -SUITABLE FOR OPERATION IN AMBIENT NOT EXCEEDING 50 °C	
Series 400	LED pole-mounted luminaires
Series 500	LED pole-mounted luminaires
Series 600	LED pole-mounted luminaires
Series 602	LED pole-mounted luminaires
Series 603	LED pole-mounted luminaires
Series 604	LED pole-mounted luminaires



David Piecuch  
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.