



The table below describes the files that were selected to be included as part of this package.

Supplements, such as Figures and Illustrations, will appear as X number of Figures, X number of Illustrations, etc., rather than naming each one.

E359248-20140219-CertificateofCompliance
--

This material is provided on behalf of UL LLC (UL Solutions) or any authorized licensee of UL Solutions.

# Certificate of Compliance

**Certificate Number:**

UL-US-L359248-11-  
91204102-2

**Report Reference:**

E359248-20140219

**Issue Date:**

2024-05-09

Issued to:

**NERI SPA  
SS EMILIA 1622 LONGIANO, FC 47020  
Italy**

This certificate confirms that representative samples of:

**IFAM - Light-emitting-diode Surface-mounted Luminaires**

**See Addendum Page for Product Designation(s).**

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

**UL 1598, Edition 5, Issue Date 2021-03-26, Revision Date 2024-01-31**

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



David Piecuch  
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# CERTIFICATE OF COMPLIANCE

**Certificate number** UL-US-L359248-11-91204102-2  
**Report reference** E359248-20140219  
**Date** 2024-05-09

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
<b>LU700</b> , LU70000 16 UL, Max input power may be factory dimmed to lower values than as indicated in above table. equipped with LED module B5603	LED Surface Mounted Luminaire
<b>LU700</b> , LU70000 24 UL, Max input power may be factory dimmed to lower values than as indicated in above table. equipped with LED module B5673	LED Surface Mounted Luminaire
<b>LU700</b> , LU70001 16 UL, Max input power may be factory dimmed to lower values than as indicated in above table. equipped with LED module B5603	LED Surface Mounted Luminaire
<b>LU700</b> , LU70001 24 UL, Max input power may be factory dimmed to lower values than as indicated in above table. equipped with LED module B5673	LED Surface Mounted Luminaire
<b>LU701</b> , LU70100 16 UL, Max input power may be factory dimmed to lower values than as indicated in above table. equipped with LED module B5603	LED Surface Mounted Luminaire
<b>LU701</b> , LU70100 24 UL, Max input power may be factory dimmed to lower values than as indicated in above table. equipped with LED module B5673	LED Surface Mounted Luminaire
<b>LU701</b> , LU70101 16 UL, Max input power may be factory dimmed to lower values than as indicated in above table. equipped with LED module B5603	LED Surface Mounted Luminaire
<b>LU701</b> , LU70101 24 UL, Max input power may be factory dimmed to lower values than as indicated in above table. equipped with LED module B5673	LED Surface Mounted Luminaire
Series 700	LED (Light-emitting-diode) Pole Mounted Luminaires, suitable for Wet Locations
Series 701	LED (Light-emitting-diode) Pole Mounted Luminaires, suitable for Wet Locations

  
David Piecuch  
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# Certificate of Compliance

**Certificate Number:**

UL-CA-L359248-31-  
91204102-2

**Report Reference:**

E359248-20140219

**Issue Date:**

2024-05-09

Issued to:

**NERI SPA  
SS EMILIA 1622 LONGIANO, FC 47020  
Italy**

This certificate confirms that representative samples of:

**IFAM7 - Light-emitting-diode Surface-mounted Luminaires  
Certified for Canada**

**See Addendum Page for Product Designation(s).**

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

**CSA C22.2 No. 250.0:21, Edition 5, Issue Date 2021-03-26,  
Revision Date 2024-01-31**

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



David Piecuch  
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# CERTIFICATE OF COMPLIANCE

**Certificate number** UL-CA-L359248-31-91204102-2  
**Report reference** E359248-20140219  
**Date** 2024-05-09

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
<b>LU700</b> , LU70000 16 UL, Max input power may be factory dimmed to lower values than as indicated in above table. equipped with LED module B5603	LED Surface Mounted Luminaire
<b>LU700</b> , LU70000 24 UL, Max input power may be factory dimmed to lower values than as indicated in above table. equipped with LED module B5673	LED Surface Mounted Luminaire
<b>LU700</b> , LU70001 16 UL, Max input power may be factory dimmed to lower values than as indicated in above table. equipped with LED module B5603	LED Surface Mounted Luminaire
<b>LU700</b> , LU70001 24 UL, Max input power may be factory dimmed to lower values than as indicated in above table. equipped with LED module B5673	LED Surface Mounted Luminaire
<b>LU701</b> , LU70100 16 UL, Max input power may be factory dimmed to lower values than as indicated in above table. equipped with LED module B5603	LED Surface Mounted Luminaire
<b>LU701</b> , LU70100 24 UL, Max input power may be factory dimmed to lower values than as indicated in above table. equipped with LED module B5673	LED Surface Mounted Luminaire
<b>LU701</b> , LU70101 16 UL, Max input power may be factory dimmed to lower values than as indicated in above table. equipped with LED module B5603	LED Surface Mounted Luminaire
<b>LU701</b> , LU70101 24 UL, Max input power may be factory dimmed to lower values than as indicated in above table. equipped with LED module B5673	LED Surface Mounted Luminaire
Series 700	LED (Light-emitting-diode) Pole Mounted Luminaires, suitable for Wet Locations
Series 701	LED (Light-emitting-diode) Pole Mounted Luminaires, suitable for Wet Locations

  
David Piecuch  
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.