

CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-2216271-0
Report Reference E359248-20220421
Date 26-Apr-2022

Issued to: NERI SPA
SS EMILIA 1622 LONGIANO, FC 47020
Italy

**This is to certify that
representative samples of**

IFAM - Light-emitting-diode Surface-mounted Luminaires
See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the
Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 1598, 5th Ed., Issue Date: 2021-03-26, Revision Date:
2021-06-18


Additional Information: See the UL Online Certifications Directory at
<https://iq.ulprospector.com> for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

UL 1598 5th Ed., Issue Date: 2021-03-26, Revision Date: 2021-06-18
9.48 2022


Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>




CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-2216271-0
Report Reference E359248-20220421
Date 26-Apr-2022

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
Pictor , LUPIC00 16, post top mount version Max input power may be factory dimmed to lower values than this indicated (Max power consumption)	LED Surface Mounted Luminaire
Pictor , LUPIC00 24, post top mount version Max input power may be factory dimmed to lower values than this indicated (Max power consumption)	LED Surface Mounted Luminaire
Pictor , LUPIC00 32, post top mount version Max input power may be factory dimmed to lower values than this indicated (Max power consumption)	LED Surface Mounted Luminaire
Pictor , LUPIC00 48, post top mount version Max input power may be factory dimmed to lower values than this indicated (Max power consumption)	LED Surface Mounted Luminaire
Pictor , LUPIC01 16, side mount version Max input power may be factory dimmed to lower values than this indicated (Max power consumption)	LED Surface Mounted Luminaire
Pictor , LUPIC01 24, side mount version Max input power may be factory dimmed to lower values than this indicated (Max power consumption)	LED Surface Mounted Luminaire
Pictor , LUPIC01 32, side mount version Max input power may be factory dimmed to lower values than this indicated (Max power consumption)	LED Surface Mounted Luminaire
Pictor , LUPIC01 48, side mount version Max input power may be factory dimmed to lower values than this indicated (Max power consumption)	LED Surface Mounted Luminaire



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-2215574-0
Report Reference E359248-20220421
Date 26-Apr-2022

Issued to: NERI SPA
SS EMILIA 1622 LONGIANO, FC 47020
Italy

This is to certify that representative samples of IFAM7 - Light-emitting-diode Surface-mounted Luminaires Certified for Canada
See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

Standard(s) for Safety: CSA C22.2 NO. 250.0:21, 5th Ed., Issue Date: 2021-03-26, Revision Date: 2021-06-18

Additional Information: See the UL Online Certifications Directory at <https://iq.ulprospector.com> for additional information


This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

UL-CA-2215574-0

E359248-20220421


Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>




CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-2215574-0
Report Reference E359248-20220421
Date 26-Apr-2022

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
Pictor , LUPIC00 16, post top mount version Max input power may be factory dimmed to lower values than this indicated (Max power consumption)	LED Surface Mounted Luminaire
Pictor , LUPIC00 24, post top mount version Max input power may be factory dimmed to lower values than this indicated (Max power consumption)	LED Surface Mounted Luminaire
Pictor , LUPIC00 32, post top mount version Max input power may be factory dimmed to lower values than this indicated (Max power consumption)	LED Surface Mounted Luminaire
Pictor , LUPIC00 48, post top mount version Max input power may be factory dimmed to lower values than this indicated (Max power consumption)	LED Surface Mounted Luminaire
Pictor , LUPIC01 16, side mount version Max input power may be factory dimmed to lower values than this indicated (Max power consumption)	LED Surface Mounted Luminaire
Pictor , LUPIC01 24, side mount version Max input power may be factory dimmed to lower values than this indicated (Max power consumption)	LED Surface Mounted Luminaire
Pictor , LUPIC01 32, side mount version Max input power may be factory dimmed to lower values than this indicated (Max power consumption)	LED Surface Mounted Luminaire
Pictor , LUPIC01 48, side mount version Max input power may be factory dimmed to lower values than this indicated (Max power consumption)	LED Surface Mounted Luminaire



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

