

Use

Suitable support for suspended light fixtures.

Materials

Made in EN-GJL HB175 cast iron and S235J UNI EN 10025 steel hot dip galvanized according to UNI EN ISO 1461.

Protection of surfaces

Please refer to the specification on painting procedures of the materials.

Dimensions and weight

Height 74 cm; width 92 cm.


Weight 33 Kg.

Description


The top section is made up of the following elements:

- 1°) An element in cast iron, height 37.5 cm, in the form of a smooth cylinder (diam. 14.5 cm) decorated with three grooves. The upper part has a junction for attaching a bracket. The element is secured to the core (A) with six stainless steel M10 grub screws (B).
- 2°) A decorative element in hot-galvanized steel tube, length 10 cm and cross-section 12 x 4 cm, secured with two M10 screws (C) from inside element (1°), opposite the main bracket (4°).
- 3°) A cast iron terminal, height 6 cm, in the form of a smooth cylinder (diam. 14.5 cm). This element is secured with an M8 screw (D) to the element (1°).
- 4°) A bracket in hot-galvanized steel tube, length 68 cm, height 65 cm, composed of a tube with rectangular cross-section (12 x 4 cm) and a lower tube (diam. 3.3 cm) with a curve radius of 32.5 cm. The two tubes are welded together with two pegs. The bracket is secured with two M10 screws (C) from inside element (1°) and with one M8 screw (G) to the lower ring (6°).
- 5°) A cast iron element height 24 cm in the form of a smooth cylinder (diam. 10.5 cm) decorated with a groove and a tapered bottom with a 3/4" GAS junction (F) for attaching the light fixture. This element is fitted into the main bracket (4°) and is secured to this with an M8 screw (E).
- 6°) A ring in hot-galvanized steel, height 11 cm, diam. 13 cm, to which the lower end of the bracket is fixed. The ring is secured to the core (A) with two M8 grub screws.



When assembled the top section projects for 70 cm to the junction for the light fixture.



Elevation view



Section



Exploded