

Project location:			
Project name:			
Model #:	4039.142	Date	

DESCRIPTION

Predisposition

- Removable arm for wall mounting with circular flange (Ø 8 3/4").
- Mounting with three expansion bolts (M10). Expansion bolts not provided.
- A linear horizontal arm (Ø 2").

Materials

- Steel tubes UNI EN 10219-1, S235JR, hot galvanized as UNI EN ISO 1461 norm.
- Screws in stainless steel.

Structural elements

- Removable support arm composed by a flange and a horizontal tube in hot galvanized steel between them welded.
- The flange (Ø 8 3/4") is equipped with three holes Ø 2/4" for the mounting with expansion bolts (not provided), and a hole (Ø 1 3/4") for the passage of cables inside of wall.
- The horizontal tube (length 15 3/4" - Ø 2") is equipped with a slot (C) for enter of cables from outside wall, a grounding terminal (M6) and at the end two grains M8 (B), for the fastening of light fixtures of serie NOVA with lateral coupling (models MNN13L). The power cable (max. Ø 2/4") passes inside of arm.

Dimensions and weight

- Height max: 8 3/4".
- Arm projection: 15 3/4".
- Weight max: 6.83 lb.

Painting

- Standard color is dark matt gray, type Neri.
- Information about paint steps used on this product in specific technical sheet.

Note

- Use for mounting three expansion bolts with screw M10 in galvanized steel in conformity to norm EN 10025, minimum grade S 235 JR, compatibles with the wall type and to the max loads applicable.
- Expansion bolts not provided.

DRAWING

