


# Nebula Venezia restores light's own creative potential.

Its transparency evokes the ancient glassmaking tradition that has always enchanted our urban landscapes, both day and night.



Neri - Nebula Collection - Nebula Venezia




Nebula Venezia restores light's own creative potential.



During the daytime, Nebula Venezia dresses the city with beauty and well-being.

Nebula Venezia restores light's own creative potential.



At night the harmony of light, colour and transparency ignite emotions that enrich our experience of the world.

Nebula Venezia restores light's own creative potential.



It resonates with the bright glow of history and art which blend in perfect harmony with the modernity of its contemporary design.

# Nebula Venezia restores light's own creative potential.

Nebula Venezia is light that becomes culture.

## MAIN TECHNICAL DATA



### STRUCTURE – MAIN COMPONENTS

LED decorative module (RGBA).  
 External cover in PMMA.  
 Internal frame in extruded aluminum.  
 Shield in extra-clear transparent or prismatic tempered glass.  
 Integrated heat sink in aluminum.  
 Wiring plate in galvanized steel sheet.  
 Osmotic valve to balance internal / external pressure.

### FINISH

Brilliant Aluminium RAL9006

### SUPPLY VOLTAGE

120-277V, 50/60Hz Frequency

### SURGE PROTECTION

Up to 10kV/10kV

### INTEGRAL POWER SUPPLY

Electronic power supply with protection against short circuits, overheating and power surges

### POWER FACTOR CORRECTION

PFC > cos φ 0.9

### ELECTRICAL INSULATION

UL

### ENCLOSURE PROTECTION

Water and dust IP66  
 Mechanical impacts IK08

### COLOUR RENDERING INDEX:

> 80

-

Neri SpA reserves the right to modify its products and documentation without obligation to give prior warning

## SCREEN SHAPE

PRISMATIC FLAT GLASS

TRANSPARENT FLAT GLASS

## OPTIC SYSTEM

## BEAM ANGLE

DECORATIVE LIGHT

TYPE I

TYPE II

TYPE IV

TYPE V

MEDIUM NARROW SPOT

30°

MEDIUM FLOOD

60°

MEDIUM WIDE FLOOD

70°

80°

## COLOUR TEMPERATURE

2,700K

3,000K

4,000K

RGBA FOR DECORATIVE LIGHT

## FLUX SIZE OPTIONS

PR

ST

1,000lm

1,000lm

1,500lm

1,500lm


2,500lm

## DRIVER FUNCTIONS

ON-OFF

NVL + PRIORITY DALI

DMX FOR DECORATIVE LIGHT



6"

Neri S.p.A.  
S.S. Emilia 1622  
47020 Longiano (FC) · Italy  
T +39 0547 652111

Neri North America Inc.  
250 Catalonia Ave, Ste. 804  
Coral Gables, FL 33143  
T +1 786 315 4367

Neri Lighting India Pvt. Ltd.  
Plot no 46-A, Malur 4th Phase,  
KIADB Industrial area,  
Malur – Karnataka · 563130

Neri S.p.A. (DMCC Branch)  
29-29 Reef Tower Cluster O  
JLT – Jumeirah Lake Towers  
P.O. Box: 5003348 · Dubai · UAE  
T +971 4 448 7246  
F +971 4 448 7112